

原著			朝日生命成人病研究所
論文名	報告者	発表誌名	
1 Association between postprandial hyperglycemia at clinic visits and all-cause and cancer mortality in patients with type 2 diabetes: A long-term historical cohort study in Japan	Toshiko Takao, Kazuyuki Takahashi, Machi Suka, Nobumi Suzuki, Hiroyuki Yanagisawa	Diabetes Res Clin Pract 148:152-159,2019	doi: 10.1016/j.diabres.2019.01.006 . Epub 2019 Jan 11.
2 Analysis of the duration and extent of the legacy effect in patients with type 2 diabetes: a real-world longitudinal study	Toshiko Takao, Yutaka Matsuyama, Machi Suka, Hiroyuki Yanagisawa, Masato Kasuga.	J Diabetes Complications 33: 516-522 ,2019	doi: 10.1016/j.jdiacomp.2019.05.005 . Epub 2019 May 10.
3 Xanthine Oxidase Inhibitor Febuxostat Exerts an Anti-Inflammatory Action and Protects against Diabetic Nephropathy Development in KK-Ay Obese Diabetic Mice.	Mizuno Y, Yamamotoya T, Nakatsu Y, Ueda K, Matsunaga Y, Inoue MK, Sakoda H, Fujishiro M, Ono H, Kikuchi T, Takahashi M, Morii K, Sasaki K, Masaki T, Asano T, Kushiyama A,	Int J Mol Sci 20: 2019:4680	doi: 10.3390/ijms20194680
4 Possible involvement of normalized Pin1 expression level and AMPK activation in the molecular mechanisms underlying renal protective effects of SGLT2 inhibitors in mice	Inoue MK, Matsunaga Y, Nakatsu Y, Yamamotoya T, Ueda K, Kushiyama A, Sakoda H, Fujishiro M, Ono H, Iwashita M, Sano T, Nishimura F, Morii K, Sasaki K, Masaki T, Asano T.	Diabetol Metab Syndr 11: 57,2019	doi: 10.1186/s13098-019-0454-6
5 Prolyl Isomerase Pin1 Suppresses Thermogenic Programs in Adipocytes by Promoting Degradation of Transcriptional Co-activator PRDM16	Nakatsu Y, Matsunaga Y, Yamamotoya T, Ueda K, Inoue MK, Mizuno Y, Nakanishi M, Sano T, Yamawaki Y, Kushiyama A, Sakoda H, Fujishiro M, Ryo A, Ono H, Minamino T, Takahashi SI, Ohno H, Yoneda M, Takahashi K, Ishihara H, Katagiri H, Nishimura F, Kanematsu T, Yamada T, Asano T.	Cell Rep 26:3221-3230,2019.e3.	doi: 10.1016/j.celrep.2019.02.066
6 Prolyl isomerase Pin1 binds to and stabilizes acetyl CoA carboxylase 1 protein, thereby supporting cancer cell proliferation	Ueda K, Nakatsu Y, Yamamotoya T, Ono H, Inoue Y, Inoue MK, Mizuno Y, Matsunaga Y, Kushiyama A, Sakoda H, Fujishiro M, Takahashi SI, Matsubara A, Asano T.	Oncotarget 10:1637-1648,2019	doi: 10.18632/oncotarget.26691 . eCollection 2019 Feb 2

原著			朝日生命成人病研究所
論文名	報告者	発表誌名	
7 Alpha-Blockers As Colorectal Cancer Chemopreventive: Findings from a Case-Control Study, Human Cell Cultures, and <i>In Vivo</i> Preclinical Testing	Suzuki N, Niikura R, Ihara S, Hikiba Y, Kinoshita H, Higashishima N, Hayakawa Y, Yamada A, Hirata Y, Nakata R, Okamoto M, Sano M, Kushiyaama A, Ichinose M, Woods SL, Worthley D, Iwamoto Y, Koike K.	Cancer Prev Res (Phila) 12:185-194,2019	doi: 10.1158/1940-6207.CAPR-18-0288. Epub 2019 Jan
8 Treatment of two mitochondrial disease patients with a combination of febuxostat and inosine that enhances cellular ATP	Kamatani N, Kushiyaama A, Toyo-Oka L, Toyo-Oka T.	J Hum Genet 64:351-353,2019	doi: 10.1038/s10038-018-0558-0. Epub 2019 Jan 10.
9 Association of gait speed and grip strength with risk of cardiovascular events in patients on haemodialysis: a prospective study	Kuki A, Tanaka K, Kushiyaama A, Tanaka Y, Motonishi S, Sugano Y, Furuya T, Ozawa T.	BMC Nephrol 20:196,2019	doi: 10.1186/s12882-019-1370-6.
10 Possible involvement of normalized Pin1 expression level and AMPK activation in the molecular mechanisms underlying renal protective effects of SGLT2 inhibitors in mice	Inoue MK, Matsunaga Y, Nakatsu Y, Yamamotoya T, Ueda K, Kushiyaama A, Sakoda H, Fujishiro M, Ono H, Iwashita M, Sano T, Nishimura F, Morii K, Sasaki K, Masaki T, Asano T.	Diabetol Metab Syndr 11:57,2019	doi: 10.1186/s13098-019-0454-6. eCollection 2019.
11 Mutant IDH1 confers resistance to energy stress in normal biliary cells through PFKP-induced aerobic glycolysis and AMPK activation.	Fujiwara H, Tateishi K, Misumi K, Hayashi A, Igarashi K, Kato H, Nakatsuka T, Suzuki N, Yamamoto K, Kudo Y, Hayakawa Y, Nakagawa H, Tanaka Y, Ijichi H, Kogure H, Nakai Y, Isayama H, Hasegawa K, Fukayama M, Soga T, Koike K.	Sci Rep 9:18859,2019	doi: https://doi.org/10.1038/s41598-019-55211-w
12 Alpha-blockers as colorectal cancer chemopreventatives: findings from a case-control study, human cell cultures, and in vivo preclinical testing.	Suzuki N, Niikura R, Ihara S, Hikiba Y, Kinoshita H, Higashishima N, Hayakawa Y, Yamada A, Hirata Y, Nakata R, Okamoto M, Sano M, Kushiyaama A, Ichinose M, Woods SL, Worthley D, Iwamoto Y, Koike K.	Cancer Prev Res (Phila) 12:185-194, 2019	doi: 10.1158/1940-6207.CAPR-18-0288
13 BHLHA15-positive Secretory Precursor Cells Can Give Rise to Tumors in Intestine and Colon in Mice.	Hayakawa Y, Tsuboi M, Asfaha S, Kinoshita H, Niikura R, Konishi M, Hata M, Oya Y, Kim W, Middelhoff M, Hikiba Y, Higashijima N, Ihara S, Ushiku T, Fukayama M, Tailor Y, Hirata Y, Guha C, Yan KS, Koike K, Wang TC.	Gastroenterology 156:1066-1081. e16, 2019	doi: 10.1053/j.gastro.2018.11.024 .

原 著		朝日生命成人病研究所		
論 文 名	報 告 者	発 表 誌 名		
14 Three types of metaplasia model through Kras activation, Pten deletion, or Cdh1 deletion in the gastric epithelium.	Kinoshita H, Hayakawa Y, Konishi M, Hata M, Tsuboi M, Hayata Y, Hikiba Y, Ihara S, Nakagawa H, Ikenoue T, Ushiku T, Fukayama M, Hirata Y, Koike K.	J Pathol 247:35-47, 2019	doi: 10.1002/path.5163 . Epub 2018 Nov 27.	